



کاتالوگ محصول

H2pay✓


H2pay P8100(P)



P8100(P)

UHF Mobile Computer


- 10.1" Ultra-high Definition Screen shows giant display area and gives you all information at a glance .
- Embedded market-leading scan engine, quickly and accurately decode 1D/2D barcode .
- Dual Speaker with BOX, enhanced stereo sound, clear at noisy environment .
- Replaceable 10000mAh large capacity battery, support QC Charging and long battery life .
- IP67 sealing and 1.2 meters drop resistance.



Processor
Quad-core 2.2GHz



Battery
10000mAh



Memory
RAM: 4GB + ROM: 64GB



O.S.
Android 9

Different Sides





P8100(P) Specifications		
Performance	O.S.	Android 9 Pie with GMS (Android 13 for 10.1 inch)
	Processor	Quad-core 2.2GHz (10.1 inch) Octa-core Cortex-A53, 1.8GHz(8 inch)
	Memory	4GB RAM / 64GB ROM
Basic Specifications	Extended Memory	Micro-SD card, Up to 256 GB
	Dimensions	253.8*146*16.5mm
	Display	(10.0*5.7*0.6 inch)
	Touch Screen	Capacitive: Multiple touch screen, support, gloves, wet finger and passive stylus. Electromagnetic(optional): Multiple touch screen, support gloves, wet finger and passive stylus signature
	Main battery	3.8V 8400mAh(8 inch) 3.8V 10000mAh(10.1 inch)
	Buttons	Vol+/-, power key, scan key, P1~P8 , function key, scan key
	Camera	Front 5M Pixels, Rear 13M Pixels, Flashlight
	Sensors	Light + Accelerator+ Geomagnetic + Gyro
	Scanning	1D/2D barcode reader , Can read all international standards, Can read barcode displayed on screens , and colored barcode
	Slot	Micro SD/TFx1 , Nano- SIMx2
	Audio	Dual-speakers, Dual microphones, audio jack , High-precision RTK(Precision0.01m) (Optional)
	Interfaces	USB Type-C,3.5mm ear phone jack,Pogopin
Network Connections	Positioning	GPS, A-GPS, BEIDOU, GLONASS, Galileo
	WAN	Nano-SIM x 2
		4G, 3G, 2G
	Bluetooth	BT4.2+BR/EDR+BLE(8 inch) BT 5.0+BR/EDR+BLE(10.1 inch)
Environment	Wi-Fi	2.4G/5G, IEEE 802.11a/b/g/n/ac/d/e/h/i/k/r/v/w Roaming: 802.11r /OKC/ PMKID caching
	Temperature	-20°C to 60°C
	Storage	-40°C to 70°C
	Humidity	5%RH ~ 95%RH (No condensation)
	Drop Specification	Multiple 1.2 m drop to concrete at room temperature
	Sealing	IP67